FIG. 1 Alignment of mouse sequences with the human chromosome 12 genomic clone NT_009720

```
Expect = 4e-28, Identities = 179/224 (798), Gaps = 4/224 (18)
```

```
315129
                                                                                                                                                               315069
ctttgggacagtgagagctgcctttcatagaaaatggccttgtgctcctgcttcagcca 755
                                                                                                                 cctttcacccctgctcgatt-gcggagcatgtggtgagagg-cagggataaagggctca 813
                                                                                                                                                                  cetttcaccccttgttcaagtagcagctcatttggtaaggggtcaggaataaagggctct
                                              ctttggtgcagtgagagccgcctttcataggaaaacagt-ttgtgctcctgactgggcca
                                                                                                                                       315187
                                                                                                                                                                      Sbjct: 315128
      Query: 696
                                                                                                                      Query: 756
                                                     Sbjct:
```

ttettecetetecatgtgtaggaaagteageeettggtgtggagagteattteteaaaat Sbjct: 315068


ctctgccctttccatgtgcaggaaagttggccccaggagtggggagttgtgtcccaaaat 873

Query: 814

aga-cttcctaatacagttccaaagaggccaagagtcagtcaca 916 Query: 874

Sbjct: 315008





[G. 3 Alignment of human and mouse proximal promoters for RFX4_v3

Expect = e-107Identities = 212/216 (98%) 845 145 gaggggggcagatctaagccaattttgatttcgtctataatgagtgccgggctaaggctg gaggggccacatctaagccaattttgatttcgcctataatgagtgccgggcgaaggctg 786 86 Human

205 905 gagaaggcctctggaactttaaataagaaaacgttgctaatgctataatagaaggggga gagaaggcctctggaactttaaataagaaaacgttgctaatgctataatagaaggggga 846 146 Mouse

3/15

265 agtcggagggctgggattgcgtcgctctgagccccccttttcggaggcggcttttcttat agtcggagggctgggattgcgtcgctctgagccccccttttcggaggcggcttttcttat 906 206 Mouse

Human 966 tcaaaacaggcccacaatgggcttcac 992

Mouse 266 tcaaaacaggcccacaatgggcttcac 292

Human, mouse, and zebrafish alignment of KFX4_v3 (amino terminus)
s (amino
KFX4_v
alignment of
rafish alig
, and zebrafisl
n, mouse,
IG. 4

		mic m
000	120 120 120	178 180 158
MHCGLLEEPDMDSTESWIERCINESENKRYSSHTSLGNVSNDENEEKENNRASKPHSTPA MHCGLLEEPDMDSTESWIERCINESENKRYSSHTSLGNVSNDENEEKENNRASKPHSTPA MLCGLLEEPDMDSTESWIERCLNESESKRFSSHSSIGNISNDENEEKENNRASKPHSTPA * ***********************************		TRGOS TGTRGOS TRGOS
human mouse zebrafish	human mouse zebrafish	human mouse zebrafish

FIG. 5 Alignment of human and mouse RFX4_v3

478 478 480 600 600 720	TKQTLYTMEDSKDEHR:LITQLYQEFDHLLEEQSPIESYIEMLDTMVDh.CVVKVAAR:QGSL::YAQQFLLMMSCEGTRVI:DMTLHSAPSFGSFHLIHLMFDDYVLYLLESLHCQEPAN TKQTLYTMEDSRDEHR:LITQLYQEFDHLLEEQSPIESYIEMLDTMVDPCVV:KVAAR:PQGSL::YAQQFLLMMSCEGTRVI:DMTLHSAPSFGSFHLIHLMFDDYVLYLLESLHCQEPAN TKQTLYTMEDSRDEHR:LITQLYQEFDHLLEEQSPIESYIEMLDTMVDPCVV:KVAAR:PQGSL::YAQQFLLMMSCEGTRVI:DMTLHSAPSFGSFHLIHLMFDDYVLYLLESLHCQEPAN TKQTLYTMEDSRDEHR:LITQLYQEFDHLMSPYESSSYTH:PYSPHREH ELMKAMKGEGSTAEVAEIILTEATPPTSSPVPSFSPAKSATSVEVPPPSSPYSPETTGLSTAGAMQSYTWSLTYTYTTAAGSPAENSQOLPCM:NTHVPSSSYTH:PYSPHREH ELMKAMKGEGSTAEVAEIILTEATPPTSSPGPSFSPAKSATSVEVPPPSSPYNSPETTGLSTAGAMQSYTWSLTYTYTTAAGSPAENSQOLPCM:NTHVPSSSYTH:IPVXPHHEEH ELMKAMKGEGSTAEVAEIILTEATPPTSSPGPSFSPAKSATSVEVPPPSSPYNSPETTGLSTAGAMQSYTWSLTYTYTTAAGSPAENSQOLPCM:NTHVPSSSYTH:IPVXPHHEEH ELMKAMKGEGSTAEVAEIILTEATPPTSSPGPSSPAKSATSVEVPPPSSPYNSPETTGLSTAGAMQSYTWSLTYTYTTAAGSPAENSQOLPCM:NTHVPSSSYTH:IPVXPHHEEH ELMKAMKGEGSTAEVAEIILTEATPPTSSPGPSSPAKSATSVEVPPPSSPYNGSPAENSPETTGLSTAGSPAENSPETTGLSTAGSPAENSQOLPCM:NTHVPTSTAGSPAENSQOLPCM:NTHVPTSTAGSPAENSPETTGTN:NTHVPTSTAGSPAENSQOLPCM:NTHVPTSTAGSPAENSGAENSPETTGTN:NTHVPTSTAGSPAENSGAENSPETTGTN:NTHVPTSTAGSPAENSGAENSTGNSSDMYTPLTTR:NTSTSTHMQH GYTGSYNYGSYGNQHPHPLQNQYPALPHDTALSGPLHYSPPHRSSAQYPFNSPTST:NTHTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	human mouse human mouse human human
15 8 8	TKOTLYTMEDSKDEHKALITQLYQEFDHLLEEQSPI TKOTLYTMEDSKDEHKPLIIQLYQEFDHLLEEQSPI	hume
5/ 300 388	MLPVLGSSTVVNIVGVCDS1LY"AISGVLMPTVLQPMLGSSTVVNIVGVCDS1LY"AISGVLMFTVLQP	human mouse
238	TKGQSKYHYYGIAVKESSQYYDVMYSKKGAAWVSETGKEEVSKQTVAYSPRSKLGTLLPEFPNVKDLNLPASLPEEKVSTFIMMYRTHCQKILDTVIRANEDEVQSFLLHFWQGMPPH TGTFGQSKYHYYGIAVKESSQYYDVMYSKKGAAWVSETGKREVTKQTVAXSPFSKLGTLLPDFPNVKDLNLPASLPEEKVSTFIMMYRTHCQKILDTVIRANEDEVQSFLLHFWQGMPPH * **********************************	human mouse
120 120	MHCGLLEEPDMDSTESWIEKCLNESENKPYSSHTSLGNVSNDENEEKENNKASKPHSTPATLQWLEENYEIAEGVCIPRSALYMHYLDFCEKNDTQPVNAASFGKIIRQQFPQLTTRPLG MHCGLLEEPDMDSTESWIEFCLNESENKPYSSHTSLGNVSNDENEEKENNKASKPHSTPATLQWLEENYEIAEGVCIPRSALYMHYLDFCEKNDTQPVNAASFGKIIRQQFPQLTTRPLG ************************************	human mouse

Exon 1

	Exon 1		
Human Mouse Zebrafish	MHCGLLEEPDMOSTESWIERCLNESENKRYSSHTSLGNVSNDENEEKENNRASKPHSTPA (MHCGLLEEPDMOSTESWIERCLNESENKRYSSHTSLGNVSNDENEEKENNRASKPHSTPA (MLCGLLEEPDMOSTESWIERCLNESESKRFSSHSSIGNISNDENEEKENNRASKPHSTPA (60	
Exons 2-5	TLQWLEENYEIAEGVCIPRSALYMHYLDFCEKNDTQPVNAASFGKIIRQQFPQLTTRRLG 1	.20 .20 .20 .20	
	TGTRGQSKYHYYGLAVKESSQYYDVMYSKKGAAWVSETGKREVTKQTVAYSPRSKLGTLL 1	178 180 178	•
	BEFPNVKDINIPASIPEHKVSTEFMMERTHCORILDTVIRANFDEVOSFIJHFWOGMPPH PDFPNVKDINIPASIPEHKVSTFIMMVRTHCORILDTVIRANFDEVOSFIJHFWOGMPPH PDFPNVKDINIPASIPEHKVSTFIMMVRTHCORILDTVIRANFDEVOSFIJHFWOGMPPH	240 B	
	MLPVLGSSTVVNIVGVCDSILYKATSGVLMPTVLOALPDSLTOVIRKFAKOLDEWLKVAT	298 300 C 298	
Exons 6-15	HDLPENIRNIKFELSREFSQILRROTSLNHLGQASRTVIHSADITFQMLEDWRNVDLSSI	358 360 358	
	TKOTLYTMEDSRDEHRRLITOLYOEFOHLLEEGSPIESYLEWLDTMYDRCVVKVAAKROG	418 420 418 DD	
	Fixkvaodelimwscectrytromtlesapsfgsfhithimfddyvlyllesihcoeran Sikrvaodelimwscectrytromtlesapsfgsfhithimfddyvlylresihcoeran	478 480 478	
	ELMRAMKGE STĄEWREETI LTEAAAPTPSPYPSFSPAKSATSMEYPPPSSPYSNYSPEY ELMRAMKGE STĄEAOEGTILTEATHETESEGESFSPAKSATSVEWPPBSSPYSNYSPEY ELMRAMKGE GAPADTSEELMIMSSTETSTSPGP YSPAKSVESVGWPAVGSPNGAOSPEY,	540 537	
	TGLS-TTGAMQSYTWSLTYTVTTAAGSPAENSQQLPCMRN-THVPSSSVTHRIPVYPHRE TGLS-TTGAMQSYTWSLTYTVTTAAGSPAENSQQLPCMRS-THMPSSSVTHRIPVYSHRE TSISATTGAVQSYTWSLTYTVTTSGGSPTEPGSQLSCMRGGPALHGSSSAHRMPVYPHRD	598 597 .	
Exons 16-18	EHGYTGSYNYGSYGNQHPHPMQSQYPALPHDTAISGPLHYAPYHRSSAQYPFNSPTSRME EHGYTGSYNYGSYGNQHPHPLQNQYPALPHDTAISGPLHYSPYHRSSAQYPFNSPTSRME EHGYTGSYNYSSYANQHHHAIQSQYSSLTHEAGLPTPLHYSSYHRTSAQYPLNSQMSRME ************************************	658 657	
	PCLMSSTPRLHPTPVTPRWPEVPSANTCYTSPSVHSARYGNSSDMYTPLTTRRNSEYEHM PCLMSSTPRLHPTPVTPRWPEVPTANACYTSPSVHSTRYGNSSDMYTPLTTRRNSEYEHM SCLMSGSPLLHSSPVTPRWPDVPSANSCYSSPTVHASRYS-TGDMYSPLAPRRNSEYEHA .***: **:*****************************	718	
	OHFPGFAIINGEASTGWAK 735 OHFPGFAIINGEASTGWAK 735 OHFPGFAIINGEASTGWAK 735 ************************************		

FIG. 6





FIG.






FIG.




FIG. 1




FIG. 11





FIG. 12







FIG. 14



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

De	Defects in the images include but are not limited to the items checked:		
	☐ BLACK BORDERS		
	☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES		
	FADED TEXT OR DRAWING		
	☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING		
	☐ SKEWED/SLANTED IMAGES		
	☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS		
	☐ GRAY SCALE DOCUMENTS		
	☐ LINES OR MARKS ON ORIGINAL DOCUMENT		
	☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY		

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.